

Transporter2 85 vario Business



Transporter2 85 vario Business / black
(Standard configuration)

Specification

- ∞ universal
- ∅ true white ¹
- ∅ black ¹
- ⊞ from 50 kg
- maximum length: 264 cm
- ↑ maximum width: 70 cm



Transporter2 85 vario Business / true white

Optional equipment: Intuvia 100 Display, Box, flat box cover, DualBattery 1450, carrier, additional lock chain, incl. Chain Bag

Technical approvals

- ⊞ Permitted overall weight: 220 kg ²
- ∞ Carrier: 20 kg
- ∞ Single wheel trailer: yes
- ∞ Two wheel trailer: yes
- ∞ Trailerbike: yes

Transporter2 85 vario Business

- ⊕ Bosch Performance Line (smart system)
- ☐ Bosch PowerPack 545
- ☐ Bosch Purion 200
- ⤴ Suntour Mobie A32
- ↕ Enviolo 380
- ☐ Gates drive belt CDX
- ⊗ Tektro Auriga
- ⊙ Schwalbe Big Ben Plus 55-406
Schwalbe SUPER MOTO-X 62-559
- ☐ Herrmans H-Black MR8
- ↘ Anti-theft seat post
- ☐ Lockable footwell in front frame
- ⊕ Comfort handlebar
- ↔ 2.24–8.52 m
- * 11,229.00 \$ (CAD)

Options

- ☐ Display Intuvia 100 * 0.00 \$ (CAD)
Can be selected at no extra cost
- ☐ Battery 725 * 432.00 \$ (CAD)
Replaces PowerPack 545
with PowerPack 725
- ☐ DualBattery 1450 * 2,161.00 \$ (CAD)
Additional
Bosch PowerPack 725

Box * 1,009.00 \$ (CAD)
with flat box cover,
lockable ³, 375 liter volume,
made of weather-resistant plastic

Box * 1,081.00 \$ (CAD)
with high box cover,
lockable ³, 465 liter volume,
made of weather-resistant plastic

Utility Box ³ * 2,161.00 \$ (CAD)
250 liter volume,
lightweight box, made of
weather-resistant PP material in
honeycomb structure

Additional lock chain, * 72.00 \$ (CAD)
130 cm

☐ Carrier * 116.00 \$ (CAD)

Sharing options

Theft protection * 0.00 \$ (CAD)
on front wheel
Securement of axle through
additionally installed bolt,
can be selected at no extra cost

Concealed * 0.00 \$ (CAD)
battery positioning
Installation of batteries
in lockable footwell,
can be selected at no extra cost

Riese & Müller reserves the right to make technical modifications as well as changes to the shape, colour and/or weight within reasonable limits.

- * Incl. GST and 5 % import duties
- 1 May differ depending on the availability in your country, design or configuration of the model.
- 2 Maximum load on the loading area: 100 kg.
- 3 Please refer to the online configurator for precise combinations of the loading area's equipment options.

- ⚙ Frame size
- ⚖ Weight
- ◊ Colour
- Length
- ↑ Width
- ⚙ Carrier
- ∞ Single wheel trailer
- ⚙ Two-wheel trailer
- ⚙ Trailerbike
- ⚙ Motor
- 🔋 Battery
- 🔋 DualBattery
- 📺 Display
- ⚙ Suspension fork
- ⚙ Gear
- ⚙ Belt / chain
- ⚙ Brakes
- ⊙ Tires
- ⊙ Light
- ⚙ Seatpost
- ⚙ Handlebar
- ⚙ Gear development

RIESE & MÜLLER

Website r-m.de
Facebook facebook.com/rieseundmuller
Instagram instagram.com/rieseemuller
X [@rieseemuller](https://twitter.com/rieseemuller)
LinkedIn [linkedin.com/ company/rieseemuller](https://linkedin.com/company/rieseemuller)
Podcasts r-m-unplugged.podigee.io