

Transporter2 85 vario Business



Transporter2 85 vario Business / black
(Standard configuration)

Specification

- ✂ universal
- ◊ true white ¹
- ◊ black ¹
- ⊞ from 50 kg / 110.2 lbs
- maximum length: 264 cm
- ↑ maximum width: 70 cm



Transporter2 85 vario Business / true white

Optional equipment: Intuvia 100 Display, Box, flat box cover, DualBattery 1450, carrier, additional lock chain, incl. Chain Bag

Technical approvals

- ⊞ Permitted overall weight:
220 kg / 485 lbs ²
- ⚖ Carrier: 20 kg / 44.1 lbs
- ⊞ Single wheel trailer: yes
- ⊞ Two wheel trailer: yes
- ✂ Trailerbike: yes

Transporter2 85 vario Business

- ⊕ Bosch Performance Line (smart system)
- ☐ Bosch PowerPack 545
- ☐ Bosch Purion 200
- ⤴ Suntour Mobie A32
- ↕ Enviolo 380
- ☐ Gates drive belt CDX
- ⊕ Tektro Auriga
- ⊙ Schwalbe Big Ben Plus 55-406
Schwalbe SUPER MOTO-X 62-559
- ☐ Herrmans H-Black MR8
- ↘ Anti-theft seat post
- ☐ Lockable footwell in front frame
- ⊕ Comfort handlebar
- ↔ 2.24–8.52 m
- * 8,909.00 \$ (USD)

Options

- ☐ Display Intuvia 100 * 0.00 \$ (USD)
Can be selected at no extra cost
- ☐ Battery 725 * 324.00 \$ (USD)
Replaces PowerPack 545
with PowerPack 725
- ☐ DualBattery 1450 * 1,617.00 \$ (USD)
Additional
Bosch PowerPack 725

Box * 755.00 \$ (USD)
with flat box cover,
lockable ³, 375 liter volume,
made of weather-resistant plastic

Box * 809.00 \$ (USD)
with high box cover,
lockable ³, 465 liter volume,
made of weather-resistant plastic

Utility Box ³ * 1,617.00 \$ (USD)
250 liter volume,
lightweight box, made of
weather-resistant PP material in
honeycomb structure

Additional lock chain, * 54.00 \$ (USD)
130 cm

☐ Carrier * 87.00 \$ (USD)

Sharing options

Theft protection * 0.00 \$ (USD)
on front wheel
Securement of axle through
additionally installed bolt,
can be selected at no extra cost

Concealed * 0.00 \$ (USD)
battery positioning
Installation of batteries
in lockable footwell,
can be selected at no extra cost

Riese & Müller reserves the right to make technical modifications as well as changes to the shape, colour and/or weight within reasonable limits.

- * Incl. VAT and 5 % import duties for bicycles
- 1 May differ depending on the availability in your country, design or configuration of the model.
- 2 Maximum load on the loading area:
100 kg / 220.5 lbs.
- 3 Please refer to the online configurator for precise combinations of the loading area's equipment options.

- △ Frame size
- ⬆ Weight
- Colour
- Length
- ↑ Width
- ≡ Carrier
- ∞ Single wheel trailer
- ⊞ Two-wheel trailer
- ⌘ Trailerbike
- ⊕ Motor
- ☑ Battery
- ☑ DualBattery
- ☑ Display
- ⌘ Suspension fork
- ⬆ Gear
- Belt / chain
- ⊗ Brakes
- ⊙ Tires
- ⊞ Light
- ⌘ Seatpost
- ⌘ Handlebar
- ⌘ Gear development

RIESE & MÜLLER

Website r-m.de
Facebook facebook.com/rieseundmueller
Instagram instagram.com/rieseemuller
X [@rieseemuller](https://twitter.com/rieseemuller)
LinkedIn [linkedin.com/ company/rieseemuller](https://linkedin.com/company/rieseemuller)
Podcasts r-m-unplugged.podigee.io